

CITY OF TEMPE HEARING OFFICER

Meeting Date: 09/04/2018


Agenda Item: 6

ACTION: Request approval to abate public nuisance items at the Bukhari Property located at 2151 E. Caroline Lane. The applicant is the City of Tempe – Code Compliance.

FISCAL IMPACT: \$1880.00 for abatement request, back yard landscape cleanup including over-height grass/weeds, removal of dead vegetation and tree stumps, and restoration of the pool to a clean and clear state.

RECOMMENDATION: Staff – Approval of 180 day open abatement

<u>BACKGROUND INFORMATION</u>: City of Tempe – Code Compliance Section requests approval to abate items in violation of the Tempe City Code at the BUKHARI PROPERTY. The details of this case represent several months of correspondence for compliance with the property owner. Staff requests the approval of abatement of the following nuisance items under Complaint CE183578: back yard landscape cleanup including over-height grass/weeds, removal of dead vegetation and tree stumps, and restoration of the pool to a clean and clear state.



Property Owner

Ahsan A. & Fariya Ashan Bukhari

City of Tempe – Code Compliance

Zoning District:

R1-15, Single Family Residential

Code Compliance Inspector: Jack Scofield, Code Inspector

ATTACHMENTS: Supporting Attachment

STAFF CONTACT: Drew Yocom, Planning & Research Analyst (480-858-2190)

Department Director: Chad Weaver, Community Development Director

Legal review by: N/A

Prepared by: Barbara Simons, Code Inspector

Reviewed by: Drew Yocom, Planning & Research Analyst

COMMENTS:

Code Compliance is requesting approval to abate the Bukhari Property located at 2151 E. Caroline Lane, in the R1-15, Single Family Residential district. This case was initiated 06/11/2018, after which Code Compliance has attempted to obtain compliance through correspondence with the property owner regarding violations of the Tempe City Code.

Without the intervention of abatement the property will continue to deteriorate. It is therefore requested that the City of Tempe Community Development Hearing Officer approve a 180 day open abatement of this public nuisance in accordance with Section 21-53 of the Tempe City Code.

HISTORY & FACTS:

The history and facts of this case are detailed in an attached memo from the Code Compliance Inspector.

Project Submittal Application

City of Tempe Development Services Department 31 E. 5th Street, Garden Level, Tempe, AZ 85281 Building Safety - Phone:480-350-8341 Fax:480-350-8677 Planning - Phone: 480-350-8331 Fax: 480-350-8872



www.tempe.gov									
Project Information - Required									
Project Name: BUKHARI PROPERTY ABATEMENT									
Project Address: 2151 E CAROLINE LN TEMPE, AZ 85283									
Proposed Use of Building/Suite:							Existing Zoning: R1-1	5	
Legal Description: Attached	3 AMD MCR 23	37-37 Parcel No.: 301-63-323							
Description of Work/Request: ABATEMENT OF CE183578									
SEPTEMBER 4, 2018									
Valuation (for building plan review only):									
Applicant Information - Required									
Company or Firm Name: CITY (//ENT	Telephone 1: (480) 350-8967 Ext:							
Applicant's Name: JACK SCOFIELD/CODE INSPECTOR				Telephone 2:			Ext:		
l .		Fax:)		EXI.				
Applicant's Street Address : 21 E 6TH ST STE 208					()			
City: TEMPE State: AZ				Zip: 85281	Email Add		s(es): eld@tempe.gov		
Applicant Signature:					Date:				
For City Use Only									
Planning	Fees	Building	FO	Engineering			Submitted Materials:		
□ SPR	1 003	□ New Bu	ildina	□ Engineering			Building	Fire	
☐ Dev Plan Review		□ Complete		□ Revision			Planning	Signs	
☐ Sign Permit		□ Prelease □ Basic		Tracking Nos.:			1	Signs	
☐ Use Permit		☐ Add/Alt					Engineering		
				DS		☐ Spec Book(s)	☐ Soils Report		
□ Variance		☐ AFES (O/H)		BP		☐ Structural Calcs	☐ Report		
☐ General Plan Amend		□ MF		EN		☐ Truss Calcs	□ Materials		
☐ Zoning Amend		□ NRes				☐ Hydraulic Calcs	□ Color Board		
☐ Zoning Verification Letter		☐ Res Remodel/Add		PL		☐ Parking Analysis	☐ Haz Mat Form		
□ Subdivision/Condo	□ Pool			X		☐ Lighting Cut Sheets	☐ Other:		
□ PAD Overlay		□ Demo		PC			Total Valuation:		
☐ Legal Posting Signs	☐ ☐ Grading Only								
☐ Administrative Decision ☐ Phased Constr			PPC			Total Submittal Fees:			
Abatement	□ □ □ Phased Constr		Constr	CA					
☐ Shared Parking	WOO WILI		FR						
☐ CCR Review		□ Structural Frame							
☐ Continuance		□ MEP Only		RA					
☐ Appeal		☐ Mobile Home		SGN					
□ Other		☐ Factory Built Bldg		PF			Validation:		
Fire Deferred submittal									
□ Tanks		□ Revision		MCA Code:					
☐ Spray Paint Booth		□ New Standard							
☐ Special Extinguishing	□ Permits based on Standard #		File With:						
□ Fire Alarm						Date Stamp:			
☐ Kitchen Hood System	n Hood System □ Suiting		Received By:						
☐ Rack Storage	C Other					1			
□ Hazmat		1							
□ Other									

DATE:

August 1, 2018

TO:

Jeff Tamulevich, Code Compliance Administrator

FROM:

Jack Scofield, Code Inspector

SUBJECT:

CE183578, Bukhari Property Abatement

LOCATION: 2151 E CAROLINE LN TEMPE, AZ 85284

LEGAL:

CIRCLE G RANCHES 4 UNIT 3 AMD MCR 237-37

PARCEL:

301-63-323

OWNER:

BUKHARI AHSAN A/FARIYA AHSAN

2151 E CAROLINE LN TEMPE, AZ 85284

FINDINGS:

6/11/2018 The Code Compliance Division received a complaint for deteriorated landscape and a deteriorated pool. Inspected property and over height grass and weeds in the rear yard, several dead trees and bushes in the front and rear yards, and a deteriorated pool with green stagnant water. Mailed notice to comply to owner.

6/25/2018 received returned mail for owner. Posted notice to comply to property and mailed to possible new address for owner.

7/9/2018 Posted final notice to comply to property and mailed to owner. Discovered a posting for Altisource Property Preservation on the front door. Contacted Altisource and they submitted a work order to have violations corrected. (EC2025610). They would not provide me with the foreclosing bank name or contact information.

08/01/2018 Posted notice of intent to abate to property and mailed to property owner.

RECOMMENDATIONS:

I recommend an abatement of the nuisance violations at the property at 2151 E Caroline Ln, due to property owner's failure to bring property into compliance with Tempe City Code 21-3.B.8 and 21-3.B.16. Mr. Bukhari has been given ample time to come into compliance and maintain the property.. There has been no indication that the property owner will bring the property into compliance. The property represents a health hazard and an eyesore to the community.

Without the intervention of abatement the property will continue to deteriorate. I therefore make a request to the City of Tempe Community Development Hearing Officer for authorization to abate this public nuisance in accordance with section 21-53 of the Tempe City Code and authorization of multiple abatements for a period not to exceed one hundred eighty (180) days from the previous abatement order.

Respectfully submitted,

Jack Scofield Code Inspector II

ACTION TAKEN:

NAME

DATE:

CASE # CE183578



NOTICE OF INTENT TO ABATE PUBLIC NUISANCE

DATE: 8/1/18

BUKHARI AHSAN A/FARIYA AHSAN 2151 E CAROLINE LN TEMPE, AZ 85284

This serves as notification of the City of Tempe's intentions regarding the abatement of code violations on the following described property:

Legal:

CIRCLE G RANCHES 4 UNIT 3 AMD MCR 237-37

Location:

2151 E CAROLINE LN TEMPE, AZ 85284

Parcel:

301-63-323

This office will submit this complaint to the Community Development Abatement Hearing Officer to be placed on the Hearing Officer agenda of **09/04/2018**. We are requesting Hearing Officer Authorization to abate this public nuisance in accordance with Section 21-53 of the Tempe City Code by removal and repair of:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR CUT TO GROUND LEVEL.
- 3. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

As owner of the property, you have thirty (30) days after receipt of this letter to abate or correct the violation. If the violations have not been corrected within thirty days, our office will proceed with the abatement process.

Upon receipt of the Hearing Officer approval to abate this public nuisance, the necessary work will be performed at the expense of the property owner. The cost of this work will be \$1880.00. In addition to the actual cost of abatement, an administrative charge of fifteen (15) percent of the actual cost of abatement or three hundred (\$300) dollars, whichever is greater, for expenses incurred by the city for abatement procedures, and the cost of recording liens and releases will be charged. The recorded lien may bear interest at the legal rate for judgments in the State of Arizona. Administrative charges and the cost of recording liens and releases shall become a lien on the property whether or not the public nuisance is abated by the City.

If you have questions regarding this matter, please contact our office at (480) 350-8372.

Code Inspector: Jack Scofield
Phone Number: (480)350-8967
E-mail: jack scofield@tempe.gov

CASE # CE183578



NOTICE OF INTENT TO ABATE PUBLIC NUISANCE

DATE: 8/1/18

BUKHARI AHSAN A/FARIYA AHSAN 5144 W ROSS DR CHANDLER, AZ 85266

This serves as notification of the City of Tempe's intentions regarding the abatement of code violations on the following described property:

Legal:

CIRCLE G RANCHES 4 UNIT 3 AMD MCR 237-37

Location:

2151 E CAROLINE LN TEMPE, AZ 85284

Parcel:

301-63-323

This office will submit this complaint to the Community Development Abatement Hearing Officer to be placed on the Hearing Officer agenda of **09/04/2018**. We are requesting Hearing Officer Authorization to abate this public nuisance in accordance with Section 21-53 of the Tempe City Code by removal and repair of:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR CUT TO GROUND LEVEL.
- 3. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

As owner of the property, you have thirty (30) days after receipt of this letter to abate or correct the violation. If the violations have not been corrected within thirty days, our office will proceed with the abatement process.

Upon receipt of the Hearing Officer approval to abate this public nuisance, the necessary work will be performed at the expense of the property owner. The cost of this work will be \$1880.00. In addition to the actual cost of abatement, an administrative charge of fifteen (15) percent of the actual cost of abatement or three hundred (\$300) dollars, whichever is greater, for expenses incurred by the city for abatement procedures, and the cost of recording liens and releases will be charged. The recorded lien may bear interest at the legal rate for judgments in the State of Arizona. Administrative charges and the cost of recording liens and releases shall become a lien on the property whether or not the public nuisance is abated by the City.

If you have questions regarding this matter, please contact our office at (480) 350-8372.


Code Inspector: Jack Scofield

Phone Number: (480)350-8967

E-mail: jack scofield@tempe.gov











July 30, 2018

City of Tempe Attn: Jack Scofield Code Inspector

RE: Clean up - 2151 E Caroline Lane

Thank you for giving Artistic Land Management, Inc the opportunity to serve your landscaping needs. Below is our price to provide all labor, equipment, landfill fees, and supervision to perform the work listed below at 2151 E Caroline Lane in the City of Tempe. Please give us a call for any questions you may have at 480-821-4966.

Scope of Work

- Landscape clean up front and rear yards (to include removal of all dead trees and other dead vegetation)
- Draining of pool
- Secure any open doors or windows leading into residence

Total = \$1,880.00

Respectfully,

Jose Hernandez



COMMUNITY DEVELOPMENT DEPARTMENT **CODE COMPLIANCE CORRECTION NOTICE**

6/11/18

BUKHARI AHSAN A/FARIYA AHSAN 2151 E CAROLINE LN **TEMPE. AZ 85284**

Case#: CE183578

Site Address: 2151 E CAROLINE DR TEMPE, AZ 85284

SITE REINSPECTION ON OR AFTER: 06/25/2018

This is a notice to inform you that this site was inspected on 6/11/18 and found to be in violation of the City of Tempe's Zoning and Development Code (ZDC) and/or Nuisances and Property Enhancement Ordinance, Chapter 21, Article I and/or II of the City Code (CC) as noted. Failure to comply may result in civil citation or criminal charges.

VIOLATION SECTION:

Violation of City of Tempe Code 21-3-B-8

Any landscaping, visible from public property, that is substantially dead, damaged, or characterized by uncontrolled growth, or presents a deteriorated or slum-like appearance; uncultivated plants, weeds, tall grass, uncultivated shrubs or growth (whether growing or otherwise) higher than twelve (12) inches; or any dead trees, bushes, shrubs or portions thereof, including stumps; or any palm or similar type tree having dead or dry fronds descending downward from the base of the lowest living frond more than eight (8) feet or dry fronds longer than five (5) feet and closer than eight (8) feet to the ground.

Violation of City of Tempe Code 21-3-B-16

Any swimming pool areas that are not enclosed by a fence of at least five (5) feet in height and equipped with self-closing, self-latching gate(s), or padlocked at all times. Any openings in the fencing shall be of a size to prohibit a spherical object four (4) inches in diameter from passing through or under the fence or gate; or any swimming pool, architectural pool or spa that creates a health hazard, harbors insect infestation or presents a deteriorated appearance.

PLEASE TAKE THE FOLLOWING CORRECTIVE ACTION:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR **CUT TO GROUND LEVEL.**
- 3. FILL IN THE BARE DIRT AREAS OF THE FRONT AND SIDE YARDS WITH GRASS AND RETURN EXISTING GRASS TO A GREEN LIVING STATE, OR YOU MAY INSTALL A FORM OF ACCEPTABLE AND RECOGNIZABLE LANDSCAPE. THE LANDSCAPE COULD CONSIST OF GRAVEL, GRASS, DESERT. OR A COMBINATION OF EACH WITH DEFINED BORDERS.
- 4. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

Please contact me if you have questions or need further assistance. Thank you for your cooperation in this matter.

Jack Scofield Code Inspector II E-Mail

Direct: 480-350-8967

Code Compliance: 480-350-8372 jack scofield@tempe.gov

Civil and Criminal Penalties



COMMUNITY DEVELOPMENT DEPARTMENT CODE COMPLIANCE CORRECTION NOTICE

6/25/18

BUKHARI AHSAN A/FARIYA AHSAN 2151 E CAROLINE LN TEMPE, AZ 85284

Case#: CE183578

Site Address: 2151 E CAROLINE DR TEMPE, AZ 85284

SITE REINSPECTION ON OR AFTER: 07/09/2018

This is a notice to inform you that this site was inspected on 6/25/18 and found to be in violation of the City of Tempe's Zoning and Development Code (ZDC) and/or Nuisances and Property Enhancement Ordinance, Chapter 21, Article I and/or II of the City Code (CC) as noted. Failure to comply may result in civil citation or criminal charges.

VIOLATION SECTION:

Violation of City of Tempe Code 21-3-B-8

Any landscaping, visible from public property, that is substantially dead, damaged, or characterized by uncontrolled growth, or presents a deteriorated or slum-like appearance; uncultivated plants, weeds, tall grass, uncultivated shrubs or growth (whether growing or otherwise) higher than twelve (12) inches; or any dead trees, bushes, shrubs or portions thereof, including stumps; or any palm or similar type tree having dead or dry fronds descending downward from the base of the lowest living frond more than eight (8) feet or dry fronds longer than five (5) feet and closer than eight (8) feet to the ground.

Violation of City of Tempe Code 21-3-B-16

Any swimming pool areas that are not enclosed by a fence of at least five (5) feet in height and equipped with self-closing, self-latching gate(s), or padlocked at all times. Any openings in the fencing shall be of a size to prohibit a spherical object four (4) inches in diameter from passing through or under the fence or gate; or any swimming pool, architectural pool or spa that creates a health hazard, harbors insect infestation or presents a deteriorated appearance.

PLEASE TAKE THE FOLLOWING CORRECTIVE ACTION:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR CUT TO GROUND LEVEL.
- 3. FILL IN THE BARE DIRT AREAS OF THE FRONT AND SIDE YARDS WITH GRASS AND RETURN EXISTING GRASS TO A GREEN LIVING STATE, OR YOU MAY INSTALL A FORM OF ACCEPTABLE AND RECOGNIZABLE LANDSCAPE. THE LANDSCAPE COULD CONSIST OF GRAVEL, GRASS, DESERT, OR A COMBINATION OF EACH WITH DEFINED BORDERS.
- 4. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

Please contact me if you have questions or need further assistance. Thank you for your cooperation in this matter.

Jack Scofield Code Inspector II E-Mail Direct: 480-350-8967 Code Compliance: 480-350-8372 jack scofield@tempe.gov

Civil and Criminal Penalties



COMMUNITY DEVELOPMENT DEPARTMENT CODE COMPLIANCE CORRECTION NOTICE

6/25/18

BUKHARI AHSAN A/FARIYA AHSAN 5144 W ROSS DR CHANDLER, AZ 85266

Case#: CE183578

Site Address: 2151 E CAROLINE DR TEMPE, AZ 85284

SITE REINSPECTION ON OR AFTER: 07/09/2018

This is a notice to inform you that this site was inspected on 6/25/18 and found to be in violation of the City of Tempe's Zoning and Development Code (ZDC) and/or Nuisances and Property Enhancement Ordinance, Chapter 21, Article I and/or II of the City Code (CC) as noted. Failure to comply may result in civil citation or criminal charges.

VIOLATION SECTION:

Violation of City of Tempe Code 21-3-B-8

Any landscaping, visible from public property, that is substantially dead, damaged, or characterized by uncontrolled growth, or presents a deteriorated or slum-like appearance; uncultivated plants, weeds, tall grass, uncultivated shrubs or growth (whether growing or otherwise) higher than twelve (12) inches; or any dead trees, bushes, shrubs or portions thereof, including stumps; or any palm or similar type tree having dead or dry fronds descending downward from the base of the lowest living frond more than eight (8) feet or dry fronds longer than five (5) feet and closer than eight (8) feet to the ground.

Violation of City of Tempe Code 21-3-B-16

Any swimming pool areas that are not enclosed by a fence of at least five (5) feet in height and equipped with self-closing, self-latching gate(s), or padlocked at all times. Any openings in the fencing shall be of a size to prohibit a spherical object four (4) inches in diameter from passing through or under the fence or gate; or any swimming pool, architectural pool or spa that creates a health hazard, harbors insect infestation or presents a deteriorated appearance.

PLEASE TAKE THE FOLLOWING CORRECTIVE ACTION:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR CUT TO GROUND LEVEL.
- 3. FILL IN THE BARE DIRT AREAS OF THE FRONT AND SIDE YARDS WITH GRASS AND RETURN EXISTING GRASS TO A GREEN LIVING STATE, OR YOU MAY INSTALL A FORM OF ACCEPTABLE AND RECOGNIZABLE LANDSCAPE. THE LANDSCAPE COULD CONSIST OF GRAVEL, GRASS, DESERT, OR A COMBINATION OF EACH WITH DEFINED BORDERS.
- 4. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

Please contact me if you have questions or need further assistance. Thank you for your cooperation in this matter.

Jack Scofield Code Inspector II E-Mail Direct: 480-350-8967 Code Compliance: 480-350-8372 jack scofield@tempe.gov

Civil and Criminal Penalties



COMMUNITY DEVELOPMENT DEPARTMENT CODE COMPLIANCE FINAL CORRECTION NOTICE

7/9/18

BUKHARI AHSAN A/FARIYA AHSAN 2151 E CAROLINE LN TEMPE, AZ 85284

Case#: CE183578

Site Address: 2151 E CAROLINE DR TEMPE, AZ 85284

SITE REINSPECTION ON OR AFTER: 07/23/2018

This is a notice to inform you that this site was inspected on 7/9/18 and found to be in violation of the City of Tempe's Zoning and Development Code (ZDC) and/or Nuisances and Property Enhancement Ordinance, Chapter 21, Article I and/or II of the City Code (CC) as noted. Failure to comply may result in civil citation or criminal charges.

VIOLATION SECTION:

Violation of City of Tempe Code 21-3-B-8

Any landscaping, visible from public property, that is substantially dead, damaged, or characterized by uncontrolled growth, or presents a deteriorated or slum-like appearance; uncultivated plants, weeds, tall grass, uncultivated shrubs or growth (whether growing or otherwise) higher than twelve (12) inches; or any dead trees, bushes, shrubs or portions thereof, including stumps; or any palm or similar type tree having dead or dry fronds descending downward from the base of the lowest living frond more than eight (8) feet or dry fronds longer than five (5) feet and closer than eight (8) feet to the ground.

Violation of City of Tempe Code 21-3-B-16

Any swimming pool areas that are not enclosed by a fence of at least five (5) feet in height and equipped with self-closing, self-latching gate(s), or padlocked at all times. Any openings in the fencing shall be of a size to prohibit a spherical object four (4) inches in diameter from passing through or under the fence or gate; or any swimming pool, architectural pool or spa that creates a health hazard, harbors insect infestation or presents a deteriorated appearance.

PLEASE TAKE THE FOLLOWING CORRECTIVE ACTION:

- 1. CUT OVER HEIGHT GRASS AND WEEDS IN THE REAR YARD.
- 2. REMOVE ALL DEAD VEGETATION IN THE REAR YARD. TREE STUMPS MUST BE REMOVED OR CUT TO GROUND LEVEL.
- 3. FILL IN THE BARE DIRT AREAS OF THE FRONT AND SIDE YARDS WITH GRASS AND RETURN EXISTING GRASS TO A GREEN LIVING STATE, OR YOU MAY INSTALL A FORM OF ACCEPTABLE AND RECOGNIZABLE LANDSCAPE. THE LANDSCAPE COULD CONSIST OF GRAVEL, GRASS, DESERT, OR A COMBINATION OF EACH WITH DEFINED BORDERS.
- 4. RESTORE POOL WATER TO A CLEAN AND CLEAR STATE. ALL ALGAE, DIRT, AND DEBRIS MUST BE REMOVED FROM POOL.

CORRECTIVE ACTION MUST BE COMPLETED OR A \$600.00 CITATION WILL BE ISSUED.

Please contact me if you have questions or need further assistance. Thank you for your cooperation in this matter.

Jack Scofield Code Inspector II E-Mail Direct: 480-350-8967 Code Compliance: 480-350-8372 jack scofield@tempe.gov

Civil and Criminal Penalties